

For the Period September 30 to October 6, 2014

Unfavourable weather conditions this past week have stalled harvest operations for many producers in the province, according to Saskatchewan Agriculture's Weekly Crop Report. Seventy-two per cent of the crop is now combined, up slightly from 68 per cent last week. Nineteen per cent is swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 84 per cent combined and 11 per cent swathed or ready to straight-cut.

The northwestern region is the furthest advanced with 83 per cent of the crop combined. Eighty-one per cent is combined in the southwestern region; 80 per cent in the northeastern region; 76 per cent in the west-central region; 67 in the southeastern region; and 57 per cent in the east-central region.

Much of the province received rain this past week ranging from trace amounts to well over an inch. Across the province, topsoil moisture conditions on cropland are rated as 19 per cent surplus, 78 per cent adequate and three per cent short. Hay land and pasture topsoil moisture is rated as 11 per cent surplus, 83 per cent adequate and six per cent short.

**Harvest Progress in SK
Per cent Combined
All Crops**

Oct 6/14	72
5 year avg. (2009-2013)	84
Oct 7/13	89
Oct 1/12	97
Oct 3/11	98
Oct 4/10	60
Oct 5/09	76
10 year avg. (2004-2013)	81

Strong winds and rain lodged some crops this week, while moisture, frost and disease caused quality issues in many crops. High levels of fusarium head blight are being reported in many areas. Of the crops that have been harvested so far, 13 per cent of hard red spring wheat is expected to fall into the 1 CW grade, 35 per cent in 2CW, 33 per cent in 3CW and 19 per cent is CW feed.

Farmers are busy harvesting, hauling bales and moving cattle.

One year ago

Eight-nine per cent of the 2013 crop had been combined.

Reported yields were average to above-average.

Follow the 2014 Crop Report on Twitter @SKAgriculture

**Saskatchewan Harvest
October 6
% combined**

Winter wheat*	98
Fall rye**	99
Spring wheat	71
Durum	71
Oats***	53
Barley	75
Canaryseed	36
Flax	19
Canola	74
Mustard	90
Soybeans	12
Lentils	92
Peas	96
Chickpeas	36

*includes six per cent 'other'

**includes 21 per cent 'other'

***includes four per cent 'other'

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.



Provincial Estimated Crop Yields - October 6, 2014								
	Winter wheat	Fall rye	HRSW	Other wheat*	Durum	Oat	Barley	Canaryseed
Southeast	45	42	36	37	42	70	56	1,325
Southwest	41	36	36	33	39	61	56	1,202
East Central	37	33	35	39	33	85	54	1,750
West Central	38	28	41	47	40	71	58	1,082
Northeast	N/A	N/A	38	48	42	88	61	1,385
Northwest	41	45	42	57	N/A	95	69	N/A
Provincial	42	36	38	43	40	84	58	1,236
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea	
Southeast	23	33	842	13	27	1,084	1,110	
Southwest	24	32	1,034	11	34	1,582	1,324	
East Central	20	29	1,175	13	24	1,246	N/A	
West Central	25	36	1,117	15	36	1,325	1,260	
Northeast	24	30	800	12	34	700	N/A	
Northwest	25	36	N/A	N/A	37	900	N/A	
Provincial	23	32	1,041	13	32	1,407	1,303	
* 'Other wheat' includes all wheat classes other than Hard Red Spring Wheat								
** Crop yield predictions at this point in time. Please keep in mind these are regional averages, and yields can vary greatly across an area.								
*** canaryseed, mustard, lentil and chickpea in lbs/ac. All other crops in bu/ac.								

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Cool and wet weather has halted harvest progress in much of the region. Producers now have 67 per cent of the crop combined, up from 62 per cent last week. An additional 21 per cent is swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 85 per cent combined. Harvest is furthest advanced in Crop District 2A, where 80 per cent of the crop is combined. Seventy-nine per cent is combined in 3ASE; 67 per cent in 2B; 63 per cent in 1A; and 57 per cent in 1B. The majority of producers in the region will need at least two or three weeks of good weather to complete harvest.

Hard red spring wheat grades are rated as four per cent 1CW, 23 per cent 2CW, 42 per cent 3CW and 31 per cent feed. Quality remains a concern for producers as many cereal crops have higher-than-normal levels of fusarium head blight. Moisture, frost and diseases have also caused quality concerns and downgrading is expected at the elevator. Yields are reported as average and vary from region to region, depending on seeding conditions and growing season moisture.

Rainfall in the region ranged from small amounts to 40 mm in the Marquis area. Since April 1, the Moosomin area has reported the greatest amount of rainfall for both the region and the province (912 mm). Topsoil moisture conditions on cropland are rated as 50 per cent surplus, 49 per cent adequate and one per cent short. Hay land and pasture moisture

is rated as 21 per cent surplus and 79 per cent adequate. Fields continue to be very wet and many are not able to support heavy equipment for long periods of time.

A hard frost was received on several nights last week, although most crops were mature enough that damage was minimal. Many crops that are coming off are quite tough and are being placed in aeration bins when available. Strong winds blew some canola swaths around and waterfowl continue to damage some crops. Farmers are busy harvesting when weather permits, hauling bales, moving cattle and completing fall work.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Unfavourable weather conditions have stalled harvest for many producers this week. Eighty-one per cent of the crop is now combined, up slightly from 78 per cent last week. An additional nine per cent is swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 90 per cent combined. Crop districts 4A and 4B have 93 per cent combined; 3BN has 88 per cent combined; 3BS has 79 per cent combined; 3ASW has 69 per cent combined and 3AN has 68 per cent combined. Many producers in the region have wrapped up harvest, while others will need at least another week or two of good weather in order to finish.

Hard red spring wheat grades are rated as 11 per cent 1CW, 31 per cent 2CW, 44 per cent 3CW and 14 per cent feed. Quality remains a concern for producers as many cereal crops have higher-than-normal levels of fusarium head blight. Moisture, frost and diseases have also caused quality concerns and downgrading is expected at the elevator. Yields are reported as average and vary from region to region, depending on seeding conditions and growing season moisture.

Much of the region received rainfall ranging from trace amounts to 44 mm in the Moose Jaw area. Since April 1, the Cadillac area has received 599 mm of rain, the greatest amount for the region. Topsoil moisture conditions on cropland are rated as 13 per cent surplus, 86 per cent adequate and one per cent short. Hay land and pasture moisture is rated as seven per cent surplus, 89 per cent adequate and four per cent short.

Remaining crops are coming off tough in some areas and are being placed in aeration bins when available. A hard frost was received late last week but damage is expected to be minimal. Strong winds blew canola swaths around and heavy rain lodged standing crops. There are several reports of higher-than-normal populations of frogs in some areas. Farmers are busy harvesting as weather allows, hauling bales, fixing fences and moving cattle.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Frequent rain and cool weather has kept most producers out of the field. Just fifty-seven per cent of the crop has been combined, up slightly from 53 per cent last week. An additional 31 per cent is swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 81 per cent combined. Sixty-one per cent of the crop is combined in Crop District 6A; 56 per cent in 5B and 52 per cent in 5A. Several more weeks of warm and dry weather is needed for most producers to finish harvest. Dry down has been slow due to frequent rain showers and cool weather. There are concerns that some of the crop may remain in the field over winter if snow falls before the fields can dry up.

Hard red spring wheat grades are rated as six per cent 1CW, 37 per cent 2CW, 33 per cent 3CW and 24 per cent feed. Quality remains a concern for producers as higher-than-normal levels of fusarium head blight have been reported. Downgrading at the elevator is common and, in some cases, loads are being rejected due to high fusarium infection levels. Yields are reported as average and vary from region to region, depending on seeding conditions and growing season moisture.

The majority of the region received rain this past week. The Foam Lake area received 42 mm of rain, bringing its total received since April 1 to 772 mm. Topsoil moisture conditions on cropland are rated as 26 per cent surplus, 73 per cent adequate and one per cent short. Hay land and pasture moisture is rated as 21 per cent surplus, 77 per cent adequate and two per cent short. Fields remain wet in many areas and equipment is getting stuck.

A hard frost was received over several nights last week, but damage so far has been minimal. Some standing crops are sprouting and much of the harvested grain is coming off tough. Wind has blown canola swaths across fields and lodged some standing crops. Farmers are busy harvesting when weather allows, hauling bales, spraying weeds and applying anhydrous ammonia fertilizer.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7A – Rosetown, Kindersley, Eston, Major; CD 7B - Kerrobert, Macklin, Wilkie and Biggar areas)

Like much of the province, little harvest progress was made this past week due to wet and cool weather. Seventy-six per cent of the crop is now combined, up from 72 per cent last week. An additional 17 per cent is swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 82 per cent combined. Seventy-eight per cent of the crop is combined in Crop District 7A, 77 per cent in 7B and 76 per cent in 6B. The majority of producers will need at least another week or two of warm and dry weather in order to finish harvest.

Hard red spring wheat grades are rated as 14 per cent 1CW, 40 per cent 2CW, 29 per cent 3CW and 17 per cent feed. Quality remains a concern for producers as moisture, frost and disease have caused issues. There are higher-than-normal levels of fusarium head blight being reported in some areas and downgrading at the elevator is common. Yields are reported as average and vary from region to region, depending on seeding conditions and growing season moisture.

Rainfall this week ranged from trace amounts to 21 mm in the Dinsmore area. Since April 1, the Kerrobert area has received 449 mm of rain, the greatest amount for the region. Topsoil moisture conditions on cropland are rated as one per cent surplus, 89 per cent adequate and 10 per cent short. Hay land and pasture topsoil moisture is rated as two per cent surplus, 84 per cent adequate and 14 per cent short.

A hard frost late last week damaged some later seeded crops in some areas. Much of the grain is coming off tough and is being placed in aeration bins when available. Strong winds have lodged some standing crops and blown canola swaths across fields. Farmers are busy harvesting when weather permits, aerating tough grain, applying anhydrous ammonia fertilizer and moving cattle.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Little harvest progress was made this past week due to cool and wet conditions. Eighty per cent of the crop is now combined, up slightly from 75 per cent last week. An additional 19 per cent is swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 81 per cent combined. Crop District 8A has 84 per cent of the crop combined; 9AE has 83 per cent combined and 8B has 75 per cent combined. Some producers have finished harvest while others will need at least another week or more of dry weather to finish.

Hard red spring wheat grades are rated as 11 per cent 1CW, 40 per cent 2CW, 33 per cent 3CW and 16 per cent feed. Much of the cereals have higher-than-normal levels of fusarium head blight and downgrading at the elevator is common. Moisture, frost and diseases have also caused some quality issues for many producers. Yields are reported as average and vary from region to region, depending on seeding conditions and growing season moisture.

Rain in the region ranged from small amounts to 39 mm in the Porcupine Plain area. Since April 1, the Lake Lenore area has received the greatest amount of rain for the region at 515 mm. Topsoil moisture conditions on cropland are rated as three per cent surplus, 95 per cent adequate and two per cent short. Hay land and pasture topsoil moisture is rated as 97 per cent adequate and three per cent short.

Much of the grain is coming off tough and is being placed in aeration bins when possible. A hard frost was received over several nights last week but damage is minimal

as most crops were mature. Farmers are busy harvesting when weather allows, applying fall fertilizers, hauling bales and moving cattle.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

The northwestern region made good progress this past week as 83 per cent of the crop is now combined, up from 77 per cent last week. An additional 14 per cent is swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 81 per cent. Eighty-six per cent of the crop is combined in Crop District 9B and 79 per cent is combined in 9AW. Some producers have completed harvest while others will need at least another week or more of warm and dry weather.

Hard red spring wheat grades are rated as 30 per cent 1CW, 36 per cent 2CW, 24 per cent 3CW and 10 per cent feed. Much of the cereal crops have higher-than-normal levels of fusarium head blight and downgrading at the elevator is common. Moisture, frost and diseases have also caused some quality issues for many producers. Yields are reported as average and vary from region to region, depending on seeding conditions and growing season moisture.

The Frenchman Butte area received the greatest amount of rain this past week (20 mm) while the North Battleford area has received 527 mm since April 1. Topsoil moisture conditions on cropland are rated as five per cent surplus, 84 per cent adequate and 11 per cent short. Hay land and pasture topsoil moisture is rated as three per cent surplus, 78 per cent adequate and 19 per cent short.

Although a hard frost was received last week, damage is minimal as crops were mature enough. Strong winds blew some canola swaths across fields and lodged some standing crops. Farmers are busy harvesting when weather permits, hauling bales and moving cattle.

Saskatchewan Harvest Progress - October 9, 2014

*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	1	0	3	95	1
southwest	0	0	0	81	19
east central	0	0	1	99	0
west central	0	0	0	100	0
northeast	0	0	0	100	0
northwest	0	0	0	100	0
provincial	0	0	2	92	6


Fall Rye	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	0	7	2	89	2
southwest	0	0	0	70	30
east central	0	0	0	100	0
west central	0	0	0	100	0
northeast	0	0	0	100	0
northwest	0	0	0	100	0
provincial	0	1	0	78	21
Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	8	13	16	63	
southwest	5	2	18	75	
east central	13	19	14	54	
west central	7	8	19	66	
northeast	0	3	4	93	
northwest	2	4	5	89	
provincial	7	10	12	71	
Durum	% Standing	% in swath	% ready to straight combine	% combined	
southeast	13	7	8	72	
southwest	9	1	15	75	
east central	38	11	13	38	
west central	11	7	15	67	
northeast	0	3	4	93	
northwest	0	25	0	75	
provincial	11	4	14	71	
Barley	% Standing	% in swath	% ready to straight combine	% combined	
southeast	7	14	14	65	
southwest	3	4	6	87	
east central	9	20	8	63	
west central	6	10	12	72	
northeast	0	3	5	92	
northwest	0	15	13	72	
provincial	5	12	8	75	
Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	15	19	12	52	2
southwest	9	13	7	58	13
east central	22	33	8	35	2
west central	24	13	7	47	9
northeast	2	18	16	62	2
northwest	11	19	6	53	11
provincial	14	23	10	49	4

Canaryseed	% Standing	% in swath	% ready to straight combine	% combined	
southeast	34	2	23	41	
southwest	37	2	26	35	
east central	30	25	20	25	
west central	24	0	42	34	
northeast	20	1	29	50	
northwest	0	0	0	100	
provincial	30	2	32	36	
Flax	% Standing	% in swath	% ready to straight combine	% combined	
southeast	55	6	21	18	
southwest	40	3	28	29	
east central	67	15	4	14	
west central	48	9	19	24	
northeast	27	20	38	15	
northwest	100	0	0	0	
provincial	54	9	18	19	
Canola	% Standing	% in swath	% ready to straight combine	% combined	
southeast	1	25	1	73	
southwest	3	6	1	90	
east central	1	36	1	62	
west central	1	11	4	84	
northeast	0	24	2	74	
northwest	1	16	0	83	
provincial	1	23	2	74	
Mustard	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	1	99	
southwest	1	0	2	97	
east central	33	20	0	47	
west central	0	10	10	80	
northeast	0	0	8	92	
northwest	N/A	N/A	NA	N/A	
provincial	2	4	4	90	
Soybeans	% Standing	% in swath	% ready to straight combine	% combined	
southeast	64	0	22	14	
southwest	81	0	9	10	
east central	84	0	15	1	
west central	100	0	0	0	
northeast	40	0	46	14	
northwest	N/A	N/A	N/A	N/A	
provincial	67	0	21	12	

Field Peas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	1	2	2	95	
southwest	2	0	0	98	
east central	0	0	4	96	
west central	0	0	3	97	
northeast	0	0	0	100	
northwest	0	0	1	99	
provincial	1	0	3	96	
Lentils	% Standing	% in swath	% ready to straight combine	% combined	
southeast	2	4	5	89	
southwest	3	0	3	94	
east central	0	2	10	88	
west central	3	0	8	89	
northeast	0	0	1	99	
northwest	0	0	0	100	
provincial	3	0	5	92	
Chickpeas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	0	100	
southwest	42	0	12	46	
east central	N/A	N/A	N/A	N/A	
west central	50	0	0	50	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	40	0	13	47	


Crop Districts and Rural Municipalities in Saskatchewan

- Regional Service Office
- ⊙ Regional Satellite Office
- Crop District
- Rural Municipality



Weekly Rainfall

for the week ending October 6, 2014



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period Sept 30 to Oct 6, 2014

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	N/A	407	4A	49	White Valley	NIL	327	7A	287	St. Andrews	4	428
	3	Enniskillen	18	356		51	Reno	NIL	298.1		288	Pleasant Valley	5	416
	33	Moose Creek	14	435		79	Arlington	NIL	455		290 A	Kindersley	6	298
	34	Browning	14	473		109 A	Camichael	N/A	396		290 B	Kindersley	8	206.3
	61	Antler	N/A	612		109 B	Camichael	N/A	269		290 C	Kindersley	6	282.2
	63	Moose Mountain	11	578		110	Piapot	NIL	332		292	Milton	N/A	342
	64	Brook	21	486		111	Maple Creek	N/A	253.5		317 A	Marmott	0	205
	65	Tecumseh	27	644	4B	139	Gull Lake	NIL	386		317 B	Marmott	3	358
1B	91	Maryfield	2	647		141	Big Stick	2	291		318	Mountain View	7	403
	122	Marlin	17	912		142	Enterprise	NIL	358		320 A	Oakdale	N/A	351.1
	123	Silverwood	7	501		189	Pittville	N/A	162		320 B	Oakdale	5	387
	124	Kingsley	6	502		231	Happyland	2	306		321	Prairieville	8	380
	125 A	Chester	27	560	5A	183 A	Fertile Belt	N/A	486	7B	347	Biggar	3	393
	125 B	Chester	20	572		183 B	Fertile Belt	11	543		350 A	Mariposa	4	317.1
	151 A	Rocanville	7	605		186	Abernethy	18	542		350 B	Mariposa	9	449
	151 B	Rocanville	N/A	534		211	Churchbridge	14	498		351	Progress	N/A	375
	154	Elcapo	14	555		213	Saltcoats	10	535		352	Heart's Hill	6	446
	155 A	Wolseley	8	445		216	Tullymet	41	428.5		377	Glenside	7	442
	155 B	Wolseley	N/A	378		241	Calder	N/A	445		378 A	Rosemount	2	311
	67	Weyburn	N/A	399		243	Wallace	7	463		378 B	Rosemount	5	354
2A	68	Brokenshell	17	387		244	Orkney	5	573		379	Reford	6	410
	97	Wellington	19	370		245 A	Garry	4	581		381	Grass Lake	N/A	355
2B	127 A	Francis	25	502.5		245 B	Garry	14	558		382	Eye Hill	7.5	357.8
	127 B	Francis	20	424.6		245 C	Garry	15	591		409	Buffalo	N/A	335
	129	Bratt's Lake	11	370.5		246	Ituna Bon Accord	40	568		410	Round Valley	7.6	377.5
	131 A	Baldon	28	501		247	Kelross	41	537	8A	395	Porcupine	39	378
	131 B	Baldon	10	659.2		248	Touchwood	28	527		397	Barmer Valley	29.5	439.2
	156 A	Indian Head	31	537.5	5B	271	Cote	8	490		428	Star City	22	457
	156 B	Indian Head	24	624.5		273	Sliding Hills	N/A	651		456	Arboretum	34	485
	157	South Qu'Appelle	30	609		277	Emerald	42	772		457	Connaught	26	406
	160 A	Pense	26	472		305	Invermay	15	558		486	Moose Range	35	365
	160 B	Pense	N/A	75		307	Elftos	38	570		487	Nipawin	24	286
	161	Moose Jaw	35	641		308 A	Big Quill	27	459	8B	369	St. Peter	24	421
	162	Caron	37	610		308 B	Big Quill	32	432		370 A	Humboldt	18	482
	191	Marquis	40	584		331	Livingston	8	463		370 B	Humboldt	N/A	463
3ASE	38 A	Leunier	11	513.9		334	Preeceville	N/A	112		371	Bayne	12	424
	38 B	Launier	13	435		336	Sasman	26	466		372	Grant	4.4	418.5
	39 A	The Gap	19	373		337	Lakeview	32	451		400	Three Lakes	15	515
	39 B	The Gap	14	455		338	Lakeside	22	495		402	Fish Creek	6	423
3ASW	10	Happy Valley	N/A	405		366	Kelvington	38	465		429	Flett's Springs	11	384
	12	Poplar Valley	NIL	427		367	Ponass Lake	25	493.5		459	Kinistino	N/A	413
	40 A	Bengough	26	391	6A	190 A	Dufferin	27	755		480	Birch Hills	3.1	411.9
	40 B	Bengough	35	545		190 B	Dufferin	26	712	9AE	488	Torch River	20	380
	42	Willow Bunch	6	396		190 C	Dufferin	N/A	502		491	Buckland	N/A	483
	43	Old Post	3	369		190 D	Dufferin	10	304.5	9AW	406	Mayfield	5	363
	70	Key West	N/A	157.6		219	Longlake	N/A	524		435	Redberry	N/A	490
	73 A	Stonehenge	NIL	415.3		220	McIllopp	21	656		436	Douglas	4	414
	73 B	Stonehenge	6	481		221	Sarnia	20.2	599.6		463	Duck Lake	3	475.9
	74	Wood River	N/A	200.5		222	Craik	17	494		467 A	Round Hill	6	527
3AN	101	Terrill	19	428		251	Big Arm	12	566	9B	467 B	Round Hill	2	322
	102	Lake Johnston	13.7	361.5		252	Arm River	N/A	518		438	Battle River	2	304
	103	Sutton	10	405		279	Mount Hope	20	527		440	Hillsdale	6	410
	132 A	Hillsborough	16	419.5		282	McCraney	N/A	418		442	Manitou Lake	6.8	318.1
	132 B	Hillsborough	44	542		309	Prairie Rose	N/A	583		498 A	Parkdale	1	383
	134	Shamrock	N/A	371		310	Usborne	N/A	166.5		498 B	Parkdale	3	305
	193 A	Eyebrow	16	494		312	Morris	N/A	127		499	Mervin	8	254
	193 B	Eyebrow	22	529		313	Lost River	N/A	425		501 A	Frenchman Butte	9	362
	224	Maple Bush	13	449		339	Leroy	20.8	550.6		501 B	Frenchman Butte	N/A	294
3BS	17	Val Marie	3	599		340	Wolverine	16	425		501 C	Frenchman Butte	20	381
	75 A	Pinto Creek	N/A	395		341	Viscount	N/A	369		502	Britannia	N/A	278.5
	75 B	Pinto Creek	N/A	347		343 A	Blucher	N/A	366.4		561	Loon Lake	15	367
	76	Auvergne	NIL	386		343 B	Blucher	8.5	210		588 A	Meadow Lake	6	369
	77	Wise Creek	N/A	540	6B	254	Loreburn	7	368		588 B	Meadow Lake	13	445
	78	Grassy Creek	NIL	450		284	Rudy	16	440		588 C	Meadow Lake	7	420
	105	Glenbain	1	387		285	Fertile Valley	12	315		588 D	Meadow Lake	N/A	389.2
	106	Whiska Creek	2	537		286	Milden	21	384		622	Beaver River	N/A	302.7
	107	Lac Pelletier	NIL	300		314	Dundum	18	384					
	108	Bone Creek	N/A	410		344	Corman Park	6	381					
3BN	137	Swift Current	N/A	41.6		346	Perdue	7	383					
	138 A	Webb	NIL	417.5		376	Eagle Creek	N/A	422					
	138 B	Webb	16.5	442		403	Rosheim	2	342					
	166	Excelsior	10	384										
	167	Sask. Landing	4.6	458.3										
	168 A	Riverside	NIL	407										
	168 B	Riverside	3	357.5										
	226	Victory	9	361										
	228	Lacadena	8	343										
	257	Monet	5	263.6										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2014


To: October 6, 2014




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Cropland Topsoil Moisture Conditions

October 7, 2014



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



0 25 50 100 150 200
Kilometers

Projection: UTM Zone 13 Datum: NAD83




Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture October 8, 2014

Hay and Pasture Topsoil Moisture Conditions

October 7, 2014



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.